

A close-up photograph showing several different fabric textures. On the left, a dark, smooth fabric. In the center, a light brown, speckled knit fabric. On the right, a dark brown, fine-textured fabric. At the bottom, a medium brown, ribbed fabric. The lighting is soft, highlighting the tactile qualities of the materials.

Material Guide

TEXTILES

normann
COPENHAGEN



We have carefully curated our selection of textiles from some of the best suppliers on the market who operate to the highest environmental standards.

CAMIRA

Oceanic
Aquarius
Synergy
Main Line Flax
Yoredale

KVADRAT

Technicolour
Remix
Canvas
Re-Wool
Steelcut Trio
Divina Melange
Fiord
Hallingdal
Zero
Vidar
Moss
Serpentine
Baru
Elle

JAB


City Velvet



OCEANIC

A strikingly contemporary fabric with an intricate twill weave. Oceanic is made entirely from recycled plastic removed from the sea and shores.


OOC03



NORI OOC19

Manufacturer	Camira
Price Group	1
Composition	100% post-consumer recycled polyester, including 50% SEAQUAL yarn
Environment	Certified to OEKO-TEX® Standard 100 Certified to Indoor Advantage™ Gold Made from 100% post-consumer recycled polyester Nonmetallic dyestuffs
Abrasion resistance	Heavy duty / 10 year guarantee Independently certified to ≥100.000 Martindale cycles
Weight	497g/m2 ±5% (696g/lin.m ±5%)
Fastness to rubbing	Wet: 4, Dry: 4 (ISO 105 - X12)
Lightfastness	5 (ISO 105 - B02) OOC16: 4/5 (ISO 105 - B02)
Flammability	EN 1021 - 1 (cigarette) EN 1021 - 2 (match) BS 7176 Low Hazard Note: Flammability performance is dependent on components used. Our certificates show what substrates have been used in our tests. For composite tests customers must ensure their complete furniture meets the necessary standards.

Textiles Oceanic




FLOTSAM

OOC01




JETSAM

OOC02



COAST

OOC03



SEA

OOC04




CORAL

OOC05



ATOLL

OOC06




BAY

OOC08




NEPTUNE

OOC11




AQUATIC

OOC12



PADDLE

OOC13



RIPTIDE

OOC14




GULF

OOC15



SEAFARER

OOC16




CREST

OOC17



CLAM

OOC18




NORI

OOC19




GANNET

OOC20




SEASPRAY

OOC21



COVE

OOC22




SCALLOP

OOC23



ROCKWEED

OOC24




BUOY

OOC25




TIDAL

OOC26



STARFISH

OOC27




SANDY

OOC28



ROSITA

OOC29



DUNE

OOC30



AQUARIUS

A versatile crêpe weave fabric that is suitable for task chairs and lounge seating. Made from 100% natural wool, which is not only rapidly renewable but also fully biodegradable.

JA409



CHERRY JA419


Manufacturer	Camira
Price Group	1
Composition	100% virgin wool
Environment	Certified to Indoor Advantage™ "Gold" Rapidly renewable and compostable Nonmetallic dyestuffs
Abrasion resistance	Heavy duty / 10 year guarantee. Independently certified to ≥50.000 Martindale cycles
Weight	370 g/m2 ±5%
Fastness to rubbing	Wet: 4, Dry: 4 (ISO 105 - X12)
Lightfastness	5 (ISO 105 - B02)
Flammability	EN 1021-1&2 Cigarette & Match BS 7176 Low Hazard UNI 9175 Classe 1 IM BS 5852 Ignition Source 5 when FR treated BS 7176 Medium Hazard when FR treated BS 5867-2 Type B Curtains & Drapes when FR treated

Textiles Aquarius



HERON

JA001




PITCH

JA002




MARINER

JA016



RHINO

JA022



PORCELAIN

JA024



JEZEBEL

JA027



PADERBORN

JA047



BISCAY

JA059



VERMILLION

JA062



AMBER

JA068



SWART

JA069



POISON

JA084



MUSHROOM

JA125



PURPLE

JA157



SMURF

JA159



TAMBOURINE

JA183



MANTA

JA194



COURGETTE

JA201



CERES

JA409



ARISTOTLE

JA416



CHERRY

JA419




ZIPPY

JA426



CIRCUS

JA428



VICO

JA435




TOMBOLA

JA442



CHOMSKY

JA443



SPINOZA

JA448

SYNERGY


A soft handle wool blend fabric featuring exquisite fiber dyed shades and sumptuous piece dyed solids.

LINEA, LDS37


INTERTWINE, LDS42

Manufacturer	Camira
Price Group	2
Composition	95% virgin wool, 5% polyamide
Environment	Certified to the EU Ecolabel Certified to Indoor Advantage™ "Gold"
Abrasion resistance	Heavy duty / 10 year guarantee Independently certified to ≥ 100.000 Martindale cycles
Weight	400 g/m2 $\pm 5\%$
Fastness to rubbing	Wet: 3, Dry: 4 (ISO 105 - X12)
Lightfastness	5 (ISO 105 - B02)
Flammability	EN 1021 - 1&2 Cigarette & Match BS 7176 Low Hazard NF D 60-013 ÖNORM B 3825 & A 3800-1 (58 kg/m3 CMHR Foam) UNI 9175 Classe 1 IM EN 13501-1 Adhered Class D, s1, d0 EN 13501-1 Un-adhered Class E, s2, d0 BS 5852 Ignition Source 5 when FR treated BS 7176 Medium Hazard when FR treated EN 13501-1 Adhered Class B, s1, d0 when FR treated EN 13501-1 Un-adhered Class D, s2, d0 when FR treated BS 5867-2: Type B Curtains & Drapes when FR treated

Textiles Synergy




VENTURE LDS05



FATE LDS07



SERENDIPITY LDS08



PARTNER LDS16



MIX LDS17




LOOP LDS18



CHAIN LDS19



LEVEL LDS20



TEAM LDS21



FRAME LDS22



BRACKET LDS23




BOND LDS24



COMPOUND LDS25



BRIDGE LDS26



SEEK LDS27



LATERAL LDS28



HOOK LDS29



PAIR LDS31



AFFIX LDS32



TAG LDS33



WEEK LDS34



CHEMISTRY LDS35



MEDLEY LDS36




LINEA LDS37



UNITY LDS38




COLLECTIVE LDS39



CO-OPERATE LDS40



COUPLE LDS41



INTERTWINE LDS42



MARRY LDS43



RELATE LDS44



SUMMON LDS45




GATHER LDS46



INTEGRATE LDS47



INTERFUSE LDS48



APPEND LDS49



LEAGUE LDS50




KINDNESS LDS51



COMPLY LDS52



PACT LDS53



REGARD LDS54




SUPPORT LDS55



KINSHIP LDS56



ENGAGE LDS57




FAMILY LDS58



GROUP LDS59



ACCORD LDS60




ASSEMBLE LDS61



ALIKE LDS62



GUILD LDS63



ORDER LDS64



HUDDLE LDS65




FELLOWSHIP LDS66



WARMTH LDS67



COLLABORATE LDS68



SYNC LDS69



TOGETHER LDS70



OPEN LDS71



COMPOSE LDS72




WORK LDS73



AFFINITY LDS74



CONTRIBUTION LDS75



SUCCESS LDS76



COMBO LDS77



CORDIAL LDS78



AMIABLE LDS79



APT LDS80



SIMILAR LDS81



LIKENESS LDS82




CONGREGATE LDS83



MUTUAL LDS84



SHARE LDS85



GLOBAL LDS86



VALUES LDS87




PROCESS LDS88



MAIN LINE FLAX

An inherently flame retardant fabric made from sustainable sources and woven into interesting solids and cross-colors inspired by the rich tones of rare jewels.

UPMINSTER, MLF20




HOLBORN, MLF05

Manufacturer	Camira
Price Group	2
Composition	70% virgin wool, 30% flax
Environment	Certified to the EU Ecolabel Certified to Indoor Advantage™ "Gold" Rapidly renewable and compostable Made from wool and bast fiber
Martindale	Heavy duty / 10 year guarantee Independently certified to ≥50.000 Martindale cycles
Weight	437 g/m2 ±5%
Fastness to rubbing	Wet: 3, Dry: 4 (ISO 105 - X12)
Lightfastness	5 (ISO 105 - B02)
Flammability	EN 1021-1&2 Cigarette & Match BS 7176 Low Hazard BS 5852 Ignition Source 5 BS 7176 Medium Hazard NF D 60-013 ÖNORM B 3825 & A 3800-1 (58kg/m3 CMHR Foam) UNI 9175 Classe 1 IM BS 5867-2: Type B Curtains & Drapes

Textiles Main Line Flax



ALDGATE MLF01



ARCHWAY MLF02



BARBICAN MLF03



HOLBORN MLF05



KILBURN MLF06



KENSINGTON MLF07



LAMBETH MLF08



MONUMENT MLF09



NEWBURY MLF10



MORDEN MLF12



LEYTON MLF13



PARSONS MLF14



STOCKWELL MLF15



TEMPLE MLF16



TOOTING MLF17



TUFNELL MLF18



VICTORIA MLF19



UPMINSTER MLF20



WATERLOO MLF21



WESTMINSTER MLF22



BANK MLF23



BAYSWATER MLF24



BETHNAL MLF25



CAMDEN MLF26



EDGWARE MLF28



FARRINGDON MLF29



GOLDHAWK MLF31



GREENFORD MLF32



PIMLICO MLF34



BROMPTON MLF35

Textiles Main Line Flax



TOWER MLF36



STANMORE MLF37



NORTHFIELDS MLF40



ALPERTON MLF43



BALHAM MLF44



BARKING MLF45



BLACKWALL MLF46



BRIXTON MLF47



CHIGWELL MLF48



CLAPHAM MLF49



EMBANKMENT MLF50



EPPING MLF51



GREENWICH MLF52



HAMPSTEAD MLF53



HARROW MLF54



HORNCHURCH MLF55



KENTISH MLF56



MOORGATE MLF57



PERIVALE MLF59



PINNER MLF60



REDBRIDGE MLF61



RICHMOND MLF62



SHADWELL MLF63



STRATFORD MLF64



WATFORD MLF65



WHITECHAPEL MLF66



WOODFORD MLF67

YOREDALE

A highly textured textile with undulations reflective of its Yorkshire roots, its fascinating bouclé style yarn features a contrasting black binder that brings depth to its saturated tones.



Manufacturer	Camira
Price Group	3
Composition	95% wool, 3% polyester, 2% polyamide
Environment	Certified to Indoor Advantage™ "Gold" Nonmetallic dyestuffs
Abrasion resistance	Heavy duty / 10 year guarantee. Independently certified to ≥50.000 Martindale cycles
Weight	700 g/m2 ±5%
Fastness to rubbing	Wet: 4, Dry: 4 (ISO 105 - X12)
Lightfastness	5 (ISO 105 - B02)
Flammability	EN 1021 - 1&2 Cigarette & Match BS 7176 Low Hazard ÖNORM B 3825 & A 3800-1 (58kg/m3 CMHR Foam) UNI 9175 Classe 1 IM BS 5852 Ignition Source 5 when FR treated BS 7176 Medium Hazard when FR treated


Textiles Yoredale



BUCKDEN UDA01



KIDSTONE UDA02



ASKRIGG UDA03



HARDRAW UDA04



SIMONSTONE UDA05



THORALBY UDA06



CARPERBY UDA07



GAYLE UDA08



THORNTON UDA09



CRAY UDA10



FOSSDALE UDA11



WOODALE UDA12



WALDEN UDA13



SEDBUSK UDA14



LITTON UDA15



NIDD UDA16




RIBBLE UDA17



WHARFE UDA18



RIPLEY UDA19



DARLEY UDA20



DACRE UDA21



BURNSALL UDA22




CRACOE UDA23



WODEN UDA24



LEYBURN UDA25



GRASSINGTON UDA27



BRONTE UDA28



GORDALE UDA29



HORTON UDA30



ILKLEY UDA31

Textiles Yoredale




INGLETON

UDA32



KETTLEWELL

UDA33



MALHAM

UDA34



MARSDEN

UDA35



SETTLE

UDA36



SKIPTON

UDA37




SWALEDALE

UDA38

TECHNICOLOUR

Technicolour is a tactile melange upholstery by Peter Saville crafted using a specially developed colour system.


The simple yet sophisticated colour system is inspired by how colours are adjusted digitally. It brings together the five bold hues of livestock marking spray colours – orange, blue, green, yellow and magenta – with five neutrals: black, brown, a light and dark beige, and undyed wool. To create Technicolour woollen tops are initially dyed and combined in precise colour percentages before being spun into yarns.




TECHNICOLOUR 0820

Category	Kvadrat upholstery
Price Group	1
Pattern	Solid
Composition	100% new English wool, worsted
Width	Approx. 140 cm (Approx. 55")
Weight	430 g/lin. m (13.87 oz/ ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	80,000 Martindale
Pilling	4 (ISO 1-5)
Lightfastness	7 (ISO 1-8)
Fire Tests	AS/NZS 3837 class 2 • BS 5867 part 2 type B with treatment • SN 198 898 5.3 with treatment • ASTM E84 Class A Unadhered • BS 5852 crib 5 with treatment • UNI 9175 1IM • IMO FTP Code 2010 Part 8 • ASTM E84 Class A Adhered • BS 5852 part 1 • BS 7176 Low Hazard • EN 1021-1/2 • NF D 60 013 • US Cal. Bull. 117-2013
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Airflow	301 Pa s/m
Seam Slippage	10 mm (warp), 8.1 mm (weft)


Textiles Technicolour



TECHNICOLOUR 0110




TECHNICOLOUR 0120



TECHNICOLOUR 0140



TECHNICOLOUR 0150




TECHNICOLOUR 0160



TECHNICOLOUR 0190




TECHNICOLOUR 0200




TECHNICOLOUR 0210




TECHNICOLOUR 0220



TECHNICOLOUR 0230



TECHNICOLOUR 0250



TECHNICOLOUR 0260



TECHNICOLOUR 0340



TECHNICOLOUR 0360



TECHNICOLOUR 0370



TECHNICOLOUR 0520



TECHNICOLOUR 0550



TECHNICOLOUR 0620



TECHNICOLOUR 0650



TECHNICOLOUR 0690



TECHNICOLOUR 0810



TECHNICOLOUR 0820




TECHNICOLOUR 0830



TECHNICOLOUR 0860



TECHNICOLOUR 0870



TECHNICOLOUR 0890




TECHNICOLOUR 0930



TECHNICOLOUR 0940



TECHNICOLOUR 0970



TECHNICOLOUR 0990

REMIX

Remix 3 is an elegant upholstery textile distinguished by exceptional depth of colour, designed by Giulio Ridolfo.

Remix 3 looks unicoloured from a distance but reveals subtle details and colour contrasts when viewed close-up. The textile features a tight, minimalistic weave, and derives its lively colour play from a combination of two different mélange yarns, which each combine up to three hues.



REMIX 3, 0412


Category	Kvadrat upholstery
Price Group	2
Pattern	Solid
Composition	90% new wool worsted, 10% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	420 g/lin. m (13.55 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	100,000 Martindale
Pilling	4 (ISO 1-5)
Lightfastness	6
Fire Tests	AS/NZS 1530.3 • BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 7 with treatment • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • SN 198 898 5.3 with treatment • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • AS/NZS 3837 class 2 • ÖNORM B1/Q1 • ASTM E84 Class A Unadhered • ASTM E84 Class A Adhered • GB 50222 B1 with treatment (Chinese)
Fastness to rubbing	4 (Dry) 4 (Wet)
Airflow	465 Pa s/m
Absorption	0.55/Class D (Absorption flat) 0.80/Class B (Absorption folded))
Seam Slippage	5 mm (warp), 3 mm (weft)

Textiles Remix



REMIX

0113



REMIX

0123



REMIX

0126



REMIX

0133




REMIX

0136



REMIX

0143



REMIX

0152



REMIX

0163



REMIX

0173



REMIX

0183



REMIX

0196



REMIX

0223



REMIX

0233



REMIX

0242



REMIX

0252



REMIX

0266



REMIX

0276



REMIX

0286



REMIX

0296



REMIX

0326



REMIX

0346



REMIX

0356



REMIX

0362



REMIX

0373



REMIX

0383



REMIX

0393



REMIX

0406



REMIX

0412



REMIX

0422



REMIX

0433

Textiles Remix




REMIX

0443



REMIX

0452



REMIX

0516



REMIX

0536



REMIX

0543



REMIX

0566



REMIX

0606



REMIX

0612



REMIX

0632



REMIX

0643



REMIX

0653



REMIX

0662




REMIX

0672




REMIX

0682



REMIX

0686



REMIX

0692



REMIX

0716



REMIX

0722



REMIX

0733



REMIX

0743



REMIX

0753



REMIX

0762



REMIX

0773



REMIX

0783



REMIX

0796



REMIX

0816



REMIX

0823



REMIX

0836



REMIX

0842



REMIX

0852

Textiles Remix



REMIX

0866



REMIX

0873



REMIX

0906




REMIX

0912



REMIX

0923



REMIX

0933



REMIX

0942



REMIX

0954



REMIX

0962




REMIX

0973



REMIX

0982



REMIX


0996





CANVAS

Canvas is a vibrant woollen upholstery textile created by Giulio Ridolfo.




0424

Category	Kvadrat upholstery
Price Group	3
Pattern	Solid
Composition	90% new wool worsted, 10% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	480 g/lin. m (15.48 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	100,000 Martindale
Pilling	4 (ISO 1-5)
Lightfastness	5-6
Fire Tests	AS/NZS 1530.3 • BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • SN 198 898 5.3 with treatment • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • ÖNORM B1/Q1 • ASTM E84 Class A Adhered • ASTM E84 Class A Unadhered
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Airflow	849 Pa s/m
Absorption	0.60/Class C (Absorption flat) 0.80/Class B (Absorption folded)
Seam Slippage	3.5 mm (warp), 2 mm (weft)

Textiles Canvas



CANVAS 0114



CANVAS 0124



CANVAS 0134




CANVAS 0154



CANVAS 0174



CANVAS 0216



CANVAS 0224



CANVAS 0244



CANVAS 0254



CANVAS 0264



CANVAS 0356



CANVAS 0364



CANVAS 0374



CANVAS 0414



CANVAS 0424



CANVAS 0446



CANVAS 0454



CANVAS 0546




CANVAS 0556



CANVAS 0566



CANVAS 0576



CANVAS 0614



CANVAS 0644



CANVAS 0654



CANVAS 0666



CANVAS 0674



CANVAS 0684



CANVAS 0694




CANVAS 0716



CANVAS 0726

Textiles Canvas



CANVAS 0734



CANVAS 0746



CANVAS 0754



CANVAS 0786



CANVAS 0794



CANVAS 0836



CANVAS 0854



CANVAS 0926



CANVAS 0936



CANVAS 0946



CANVAS 0954



CANVAS 0964



CANVAS 0974



CANVAS 0984



CANVAS 0996

RE-WOOL

Re-wool 2 is an upholstery textile designed by Margrethe Odgaard woven with 45% recycled wool.


The recycled woollen yarn used in the warp is spun from post-industrial fibre scraps collected from Kvadrat's own production of woollen textiles. Closing this loop within their own production ensures that the recycled wool is of the same high quality in every batch.



0577


Category	Kvadrat upholstery
Price Group	3
Pattern	Solid
Composition	45% recycled wool 45% new wool, worsted 10% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	540 g/lin. m (17.42 oz/ ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	100,000 Martindale
Pilling	4 (ISO 1-5)
Lightfastness	6-7 (ISO 1-8)
Fire Tests	AS/NZS 3837 class 2 • SN 198 898 5.3 with treatment • ASTM E84 Class A Unadhered • BS 5852 crib 5 with treatment • AS/NZS 1530.3 • UNI 9175 1IM • IMO FTP Code 2010 Part 8 • ÖNORM B1/Q1 • BS 5852 part 1 • EN 1021-1/2 • NF D 60 013 • US Cal. Bull. 117-2013 • EN 13501 B-s2, d0 with treatment
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Airflow	258 Pa s/m
Absorption	0.50/Class D (Absorption flat) 0.75/Class C (Absorption folded)
Seam Slippage	3.5 mm (warp), 5 mm (weft)

Textiles Re-Wool




RE-WOOL

0108




RE-WOOL

0128




RE-WOOL

0147




RE-WOOL

0158



RE-WOOL

0198



RE-WOOL

0218



RE-WOOL

0347



RE-WOOL

0377



RE-WOOL

0397



RE-WOOL

0447



RE-WOOL

0558




RE-WOOL

0568




RE-WOOL

0577



RE-WOOL

0648




RE-WOOL

0657



RE-WOOL

0687



RE-WOOL

0718



RE-WOOL

0767




RE-WOOL

0787




RE-WOOL

0797



RE-WOOL

0858



RE-WOOL

0868



RE-WOOL

0967



RE-WOOL

0977




RE-WOOL

0987

STEELCUT TRIO

The three-dimensional surface of Steelcut Trio resembles small pyramids or steel points. Despite the complexity of the textile's innovative weave, it has a simple, precise expression. Steelcut Trio is yarn-dyed and made from 3 differently coloured yarns.




0283

Category	Kvadrat upholstery
Price Group	4
Pattern	Solid
Composition	90% new wool worsted, 10% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	770 g/lin. m (24.84 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	100,000 Martindale
Pilling	4 (ISO 1-5)
Lightfastness	6-7
Fire Tests	AS/NZS 1530.3 • BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • SN 198 898 5.3 with treatment • UNI 9175 11M • US Cal. Bull. 117-2013 • EN 1021-1/2 • ASTM E84 Class B Unadhered • ASTM E84 Class B Adhered • ÖNORM B1/Q1 • AS/NZS 3837 class 2 • GB 50222 B1 with treatment (Chinese)
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Airflow	910 Pa s/m
Absorption	0.70/Class C (Absorption flat) 0.95/Class A (Absorption folded)
Seam Slippage	3.5 mm (warp), 2 mm (weft)

Textiles Steelcut Trio



STEELCUT TRIO 0105



STEELCUT TRIO 0113



STEELCUT TRIO 0124




STEELCUT TRIO 0133



STEELCUT TRIO 0153



STEELCUT TRIO 0176



STEELCUT TRIO 0195



STEELCUT TRIO 0205



STEELCUT TRIO 0213



STEELCUT TRIO 0226



STEELCUT TRIO 0236



STEELCUT TRIO 0246



STEELCUT TRIO 0253



STEELCUT TRIO 0266




STEELCUT TRIO 0276




STEELCUT TRIO 0283



STEELCUT TRIO 0336



STEELCUT TRIO 0376



STEELCUT TRIO 0383



STEELCUT TRIO 0416



STEELCUT TRIO 0426




STEELCUT TRIO 0436



STEELCUT TRIO 0446




STEELCUT TRIO 0453



STEELCUT TRIO 0466



STEELCUT TRIO 0476



STEELCUT TRIO 0506



STEELCUT TRIO 0515




STEELCUT TRIO 0526



STEELCUT TRIO 0533

Textiles Steelcut Trio



STEELCUT TRIO

0553



STEELCUT TRIO

0576



STEELCUT TRIO

0616



STEELCUT TRIO

0636



STEELCUT TRIO

0645



STEELCUT TRIO

0666



STEELCUT TRIO

0686



STEELCUT TRIO

0713




STEELCUT TRIO

0716




STEELCUT TRIO

0746



STEELCUT TRIO

0756



STEELCUT TRIO

0776



STEELCUT TRIO

0796



STEELCUT TRIO

0806



STEELCUT TRIO

0865



STEELCUT TRIO

0883



STEELCUT TRIO

0906




STEELCUT TRIO

0916



STEELCUT TRIO

0946



STEELCUT TRIO

0966



STEELCUT TRIO

0976



STEELCUT TRIO

0983



STEELCUT TRIO

0996

DIVINA MELANGE

Divina Melange 3 is a vibrant piece-dyed woollen upholstery textile reminiscent of felt. Cheerfully simple, it comes in a fresh, versatile palette by artist and designer Finn Sködt.




Category	Kvadrat upholstery
Price Group	5
Pattern	Solid
Composition	100% new wool
Width	Approx. 150 cm (Approx. 59")
Weight	840 g/lin. m (27.09 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	45,000 Martindale
Pilling	3 (ISO 1-5)
Lightfastness	6-7
Fire Tests	AS/NZS 1530.3 • BS 5852 Crib 5 • BS 5852 part 1 • BS 5867 part 2 type B • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • SN 198 898 5.3 with treatment • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • EN 13501, C-s1, d0, glued • Chinese GB 50222B1 with treatment • ÖNORM B1/Q1 • NFPA 701 with treatment • ASTM E84 Class B Unadhered • ASTM E84 Class A Adhered
Fastness to rubbing	5 (Dry) 3-4 (Wet)
Airflow	678 Pa s/m
Absorption	0.60/Class C (Absorption flat) 0.70/Class C (Absorption folded)
Seam Slippage	2 mm (warp), 2 mm (weft)


Textiles Divina Melange



DIVINA MELANGE 0120



DIVINA MELANGE 0147



DIVINA MELANGE 0170



DIVINA MELANGE 0180



DIVINA MELANGE 0227



DIVINA MELANGE 0237



DIVINA MELANGE 0260




DIVINA MELANGE 0277



DIVINA MELANGE 0280



DIVINA MELANGE 0367



DIVINA MELANGE 0427



DIVINA MELANGE 0457



DIVINA MELANGE 0467



DIVINA MELANGE 0471



DIVINA MELANGE 0517




DIVINA MELANGE 0527



DIVINA MELANGE 0547



DIVINA MELANGE 0557



DIVINA MELANGE 0567



DIVINA MELANGE 0571



DIVINA MELANGE 0581



DIVINA MELANGE 0597



DIVINA MELANGE 0617




DIVINA MELANGE 0620



DIVINA MELANGE 0647



DIVINA MELANGE 0677



DIVINA MELANGE 0687



DIVINA MELANGE 0731



DIVINA MELANGE 0747



DIVINA MELANGE 0757

Textiles Divina Melange



DIVINA MELANGE

0777



DIVINA MELANGE

0787



DIVINA MELANGE

0821



DIVINA MELANGE

0871



DIVINA MELANGE

0917



DIVINA MELANGE

0937



DIVINA MELANGE

0967




DIVINA MELANGE

0977



FIORD

The construction of Fiord combines a mélange yarn with a unicoloured yarn that creates pearl-like dots that play across the textile's surface. This sophisticated expression reflects a key source of inspiration behind the design: moonlight glittering like pearls on the rippling waters of a Norwegian fjord.



0262

Category	Kvadrat upholstery
Price Group	5
Pattern	Solid
Composition	92% new wool worsted, 8% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	500 g/lin. m (16.13 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	60,000 Martindale
Pilling	4-5 (ISO 1-5)
Lightfastness	6
Fire Tests	BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • SN 198 898 5.3 with treatment • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • ASTM E84 Class A Adhered • ASTM E84 Class A Unadhered • AS/NZS 3837 class 2 • GB 50222 B1 with treatment (Chinese) • ÖNORM B1/Q1
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Airflow	484 Pa s/m
Seam Slippage	4.5 mm (warp), 5 mm (weft)


Textiles Fiord




FIORD 0101



FIORD 0121



FIORD 0151




FIORD 0171




FIORD 0191



FIORD 0201



FIORD 0251



FIORD 0262




FIORD 0271



FIORD 0322



FIORD 0351



FIORD 0371



FIORD 0391



FIORD 0422



FIORD 0442



FIORD 0451




FIORD 0521



FIORD 0551



FIORD 0562



FIORD 0571



FIORD 0581




FIORD 0591



FIORD 0642



FIORD 0662



FIORD 0751



FIORD 0771



FIORD 0782



FIORD 0791



FIORD 0821



FIORD 0862

Textiles Fiord



FIORD

0951



FIORD

0961



FIORD

0971



FIORD

0981



FIORD

0991

HALLINGDAL

Kvadrat's first textile 'Hallingdal' has become the archetype of woollen textiles. The very durable upholstery fabric was originally designed in 1965 by Nanna Ditzel, and is now available in a version with an updated colour scale.

Hallingdal is made of wool and viscose, which complement each other well: the wool provides excellent durability and flexibility, whilst the viscose adds brilliance and depth to the colour. Both materials are dyed before they are spun, which highlights the rich texture of the fabric.



0890


Category	Kvadrat upholstery
Price Group	5
Pattern	Solid
Composition	70% new wool, 30% viscose
Width	Approx. 130 cm (Approx. 51")
Weight	795 g/lin. m (25.64 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	100,000 Martindale
Pilling	3-4 (ISO 1-5)
Lightfastness	7
Fire Tests	AS/NZS 1530.3 • BS 5852 Crib 5 • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • ASTM E84 Class A Adhered • SN 198 898 5.3 with treatment • ÖNORM B1/Q1 • GB 50222 B1 with treatment (Chinese) • AS/NZS 3837 class 2 • ASTM E84 Class B Unadhered
Fastness to rubbing	4-5 (Dry) 3-4 (Wet)
Airflow	182 Pa s/m
Absorption	0.45/Class D (Absorption flat) 0.70/Class C (Absorption folded)
Seam Slippage	4.5 mm (warp), 4 mm (weft)

Textiles Hallingdal




HALLINGDAL

0100



HALLINGDAL

0103




HALLINGDAL

0110




HALLINGDAL

0113




HALLINGDAL

0116



HALLINGDAL

0123



HALLINGDAL

0126




HALLINGDAL

0130



HALLINGDAL

0143




HALLINGDAL

0153



HALLINGDAL

0166



HALLINGDAL

0173




HALLINGDAL

0180



HALLINGDAL

0190



HALLINGDAL

0200



HALLINGDAL

0220



HALLINGDAL

0224



HALLINGDAL

0227




HALLINGDAL

0270



HALLINGDAL

0350




HALLINGDAL

0368




HALLINGDAL

0370



HALLINGDAL

0376



HALLINGDAL

0390



HALLINGDAL

0407



HALLINGDAL

0420



HALLINGDAL

0457



HALLINGDAL

0526



HALLINGDAL

0547



HALLINGDAL

0563

Textiles Hallingdal



HALLINGDAL

0573



HALLINGDAL

0590



HALLINGDAL

0596



HALLINGDAL

0600



HALLINGDAL

0657



HALLINGDAL

0660



HALLINGDAL

0674



HALLINGDAL

0680



HALLINGDAL

0687



HALLINGDAL

0694



HALLINGDAL

0702



HALLINGDAL

0723



HALLINGDAL

0733



HALLINGDAL

0750



HALLINGDAL

0753



HALLINGDAL

0754



HALLINGDAL

0763



HALLINGDAL

0764



HALLINGDAL

0773



HALLINGDAL

0810



HALLINGDAL

0840



HALLINGDAL

0850



HALLINGDAL

0890




HALLINGDAL

0907




HALLINGDAL

0944




HALLINGDAL

0960



HALLINGDAL

0968



HALLINGDAL

0980



Swell Modular Sofa in Hallingdal 65, 0110

SAHCO ZERO

The influence of Parisian couture clothing can be seen in this elegant and irregular bouclé upholstery textile. The pearl effect yarn is used in both warp and weft giving a luxurious handle and a sophisticated appearance. The sixteen colourways range from tonal through to contrasting 'salt and pepper' combinations.



0011



0010

Category	Kvadrat upholstery
Price Group	6
Composition	65% cotton, 20% polyacrylic, 15% polyester
Width	140 cm (55")
Weight	740 g/lin. m (23.87 oz/ly)
Repeat	0/0 cm (0"/0")
Durability	70,000 Martindale
Pilling	5 (ISO 1-5)
Lightfastness	5-6 (ISO 1-8)
Fire Tests	BS 5852 crib 5 with treatment • EN 1021-1 • US Cal. 117-2013 with Cal. 117 compliant interliner • BS 5852 part 1 with treatment
Seam Slippage	2 mm (warp), 2 mm (weft)

Textiles Sahco Zero



SAHCO ZERO

0001




SAHCO ZERO

0002



SAHCO ZERO

0003



SAHCO ZERO

0004



SAHCO ZERO

0005




SAHCO ZERO

0006




SAHCO ZERO

0007



SAHCO ZERO

0008




SAHCO ZERO

0009



SAHCO ZERO

0010



SAHCO ZERO

0011




SAHCO ZERO

0012




SAHCO ZERO

0013




SAHCO ZERO

0014



SAHCO ZERO

0015




SAHCO ZERO

0016

VIDAR

Originally designed by Fanny Aronsen, Vidar has been re-coloured by Raf Simons, with shades ranging from moss green, dark aubergine, ruby red and midnight blue through to brick and earth tones, and easy neutrals.

Tightly woven, without the irregularities of the other bouclé fabrics within this collection, Vidar has an inviting texture which variously recalls blackberries, orange peel or the comforting close-knit texture of a favourite sweater.




0146

Category	Kvadrat/Raf Simons upholstery
Price Group	6
Pattern	Solid
Composition	94% new wool, 6% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	770 g/lin. m (24.84 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	100,000 Martindale
Pilling	4 (ISO 1-5)
Lightfastness	7
Fire Tests	BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • AS/NZS 3837 class 2 • GB 50222 B1 with treatment (Chinese) • SN 198 898 5.3 with treatment • IMO FTP Code 2010 Part 7 with treatment
Fastness to rubbing	3-4 (Dry) 3 (Wet)
Airflow	367 Pa s/m
Absorption	0.55/Class D (Absorption flat)

Textiles Vidar



VIDAR 0106



VIDAR 0123




VIDAR 0133



VIDAR 0143




VIDAR 0146



VIDAR 0152



VIDAR 0182



VIDAR 0222



VIDAR 0323



VIDAR 0333



VIDAR 0353



VIDAR 0363



VIDAR 0386



VIDAR 0443



VIDAR 0456



VIDAR 0472



VIDAR 0526



VIDAR 0542



VIDAR 0554



VIDAR 0556



VIDAR 0582




VIDAR 0622




VIDAR 0633




VIDAR 0653



VIDAR 0656




VIDAR 0676



VIDAR 0693



VIDAR 0723



VIDAR 0733



VIDAR 0743

Textiles Vidar



VIDAR

0772



VIDAR

0786



VIDAR

0872



VIDAR

0913



VIDAR

0932



VIDAR

0943



VIDAR

0956



VIDAR

0972



VIDAR

1062



VIDAR

1511



VIDAR

1880



MOSS

The second design by Vincent van Duysen and Anna Vilhelmine Ebbesen is the distinctive upholstery fabric Moss. The mixture of twisted yarn and chenille gives the fabric surface a textured structure with an appearance of movement, and also creates a soft handle which adds a special dimension to the furniture it covers. The twenty-two colourways are either one- or two-tone combinations inspired by Vincent van Duysen's own home and range from cool cement and soft blue to oily green, curry yellow and the shades of natural wood.



Category	Kvadrat upholstery
Price Group	6
Pattern	Solid
Composition	52% cotton 22% viscose 14% polyacrylic 6% linen 3% polyester 3% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	960 g/lin. m (30.96 oz/ ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	50,000 Martindale
Pilling	4-5 (ISO 1-5)
Lightfastness	6 (ISO 1-8)
Fire Tests	AS/NZS 3837 class 2 • US Cal. Bull. 117-2013 with treatment • BS 5852 crib 5 with treatment • IMO FTP Code 2010 Part 8 • NFPA 260 with treatment • BS 5852 part 1 • EN 1021-1/2
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Seam slippage	4.5 mm (warp), 4.5 mm (weft)

Textiles Sahco Moss




SAHCO MOSS

0001



SAHCO MOSS

0002



SAHCO MOSS

0003




SAHCO MOSS

0004



SAHCO MOSS

0005



SAHCO MOSS

0006




SAHCO MOSS

0007



SAHCO MOSS

0009



SAHCO MOSS

0010



SAHCO MOSS

0011



SAHCO MOSS

0012




SAHCO MOSS

0013



SAHCO MOSS

0014



SAHCO MOSS

0015



SAHCO MOSS

0016



SAHCO MOSS

0017




SAHCO MOSS

0018



SAHCO MOSS

0019



SAHCO MOSS

0020



SAHCO MOSS

0021




SAHCO MOSS

0022

SERPENTINE

Serpentine is a voluminous woollen upholstery, designed by colour master Giulio Ridolfo, which reflects the material heritage of Kvadrat with a contemporary twist. Its construction combines classic craftsmanship with modern techniques to create dynamic colour interactions and a distinctive tactility.




Category	Kvadrat upholstery
Price Group	6
Pattern	Solid
Composition	98% new wool, worsted 2% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	850 g/lin. m (27.42 oz/ ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	45,000 Martindale
Pilling	3-4 (ISO 1-5)
Lightfastness	7 (ISO 1-8)
Fire Tests	AS/NZS 3837 class 2 • ASTM E84 Class B Unadhered • SN 198 898 5.3 with treatment • BS 5852 crib 5 with treatment • UNI 9175 1IM • ASTM E84 Class B Adhered • ÖNORM B2/Q1 • IMO FTP Code 2010 Part 8 • NFPA 701 with treatment • BS 5852 part 1 • EN 1021-1/2 • NF D 60 013 • US Cal. Bull. 117-2013
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Seam slippage	4.5 mm (warp), 3.5 mm (weft)

Textiles Serpentine



SERPENTINE 0118



SERPENTINE 0158



SERPENTINE 0198




SERPENTINE 0238



SERPENTINE 0358




SERPENTINE 0428



SERPENTINE 0438




SERPENTINE 0498



SERPENTINE 0678



SERPENTINE 0798



SERPENTINE 0928



SERPENTINE 0988

SAHCO BARU

An ultra-soft woven woollen bouclé, Baru feels like shorn fleece and has a comforting volume created by the elasticity of the wool fibre and the finishing processes. Yarn dyed with one colour in warp and another in weft, it has the benefits of a woollen textile but a softer feel. The texture of the bouclé coupled with a slight shine from the acrylic blend creates a playful effect as the colour catches the light.



Category	Kvadrat upholstery
Price Group	6
Composition	87% new wool 10% polyester 3% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	770 g/lin. m (24.84 oz/ ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	65,000 Martindale
Pilling	5 (ISO 1-5)
Lightfastness	4-5 (ISO 1-8)
Fire Tests	BS 5852 crib 5 with treatment • IMO FTP Code 2010 Part 8 • BS 5852 part 1 • EN 1021-1/2 • US Cal. Bull. 117-2013
Fastness to rubbing	4 (Dry) 3-4 (Wet)
Seam Slippage	2 mm (warp), 7 mm (weft)

Textiles Sahco Baru



SAHCO BARU

0120



SAHCO BARU

0150



SAHCO BARU

0200



SAHCO BARU

0330



SAHCO BARU

0390



SAHCO BARU

0410



SAHCO BARU

0450



SAHCO BARU

0570



SAHCO BARU

0740



SAHCO BARU

0780



SAHCO BARU

0950



SAHCO BARU

0980

ELLE


A curled bouclé fabric, Elle drapes and curves around furniture like an elegant designer coat. The spun bouclé yarn created by blending wool, viscose and acrylic gives the surface a soft tactility. During the subsequent dying the yarns take the colour differently, creating captivating shifts within the same tones.



0200

Category	Sahco upholstery
Price Group	7
Composition	25% cotton, 20% viscose, 20% polyacrylic, 20% wool, 15% polyamide
Width	140 cm (55")
Weight	900 g/lin. m (29.03 oz/ly)
Repeat	0/0 cm (0"/0")
Durability	70,000 Martindale
Pilling	4-5 (ISO 1-5)
Lightfastness	6 (ISO 1-8)
Fire Tests	US Cal. Bull. 117-2013 • BS 5852 crib 5 with treatment • EN 1021-1/2 • BS 5852 part 1 • IMO FTP Code 2010 Part 8
Fastness to rubbing	4-5 (Dry) 4 (Wet)
Seam Slippage	7 mm (warp), 2 mm (weft)

Textiles Elle



ELLE 0150




ELLE 0180



ELLE 0200




ELLE 0220



ELLE 0230




ELLE 0280



ELLE 0290



ELLE 0350



ELLE 0390



ELLE 0480



ELLE 0530



ELLE 0680




ELLE 0750



ELLE 0950





CITY VELVET

A beautiful lush velvet quality. Each color highlights the shimmering surface of the woven velour and adds a touch of soft decadence.

CA7832, 024



CA7832, 073

Manufacturer	JAB
Price Group	4
Composition	Pile: 100% polyester Groundmaterial: 100% polyester
Abrasion resistance	100.000 Martindale
Weight	440 g/m2
Lightfastness	3-5

Textiles City Velvet



CA7832

010



CA7832

011



CA7832

012



CA7832

013



CA7832

014



CA7832

015



CA7832

020



CA7832

021



CA7832

022



CA7832

023



CA7832

024



CA7832

025



CA7832

026



CA7832

027



CA7832

030



CA7832

031



CA7832

032



CA7832

033



CA7832

034



CA7832

035



CA7832

036



CA7832

037



CA7832

038



CA7832

039



CA7832

040



CA7832

041



CA7832

042



CA7832

043



CA7832

050



CA7832

051

Textiles City Velvet



CA7832

052



CA7832

053



CA7832

055



CA7832

056



CA7832

058



CA7832

060



CA7832

061



CA7832

062



CA7832

063



CA7832

064



CA7832

065



CA7832

066



CA7832

069



CA7832

070



CA7832

071



CA7832

072



CA7832

073



CA7832

074



CA7832

075



CA7832

076



CA7832

077




CA7832

078




CA7832

079



CA7832

080



CA7832

081



CA7832

082



CA7832

083



CA7832

084



CA7832

085



CA7832

086

Textiles City Velvet



CA7832

087



CA7832

088



CA7832

089



CA7832

090



CA7832

091



CA7832

092



CA7832

093



CA7832

094



CA7832

095



CA7832

096



CA7832

099



CA7832

126



CA7832

130



CA7832

160



CA7832

161



CA7832

162



CA7832

165



CA7832

170



CA7832

180



CA7832

181



CA7832

184



CA7832

186



CA7832


234



CA7832

263

Textiles Natté



ANTIQUE 5077




NATURE 10014



WHITE 10020



CANVAS 10021



GREY CHINE 10022



FROSTY CHINE 10025



HEATHER BEIGE 10028



HEATHER GREY 10029



SOOTY 10030



NATURE GREY 10040




DARK TAUPE 10059




CHARCOAL CHINE 10063



CARBON SKY 10064



CARBON BEIGE 10065



MASCARA 10078



BLUESTONE 10083



TONKA 10101



CHESTNUT 10102



POSEDONIA 10111




BAMBOO 10112



HEATHER CHALK 10150



LINEN CHALK 10151



GRAUMEL CHALK 10152



TAUPE CHALK 10155



SUNLIGHT 10250



SPRITZ 10254



NAXOS 10255



POMPEI 10256



COSMOS P094



AGAVE P097



RAR COLLECTION

A timeless, dark grey fabric, elegantly woven with a classic weave texture, Re-Born is primarily crafted from a recycled polyethylene and a hardwearing polyester. The sophisticated Venezia Off-White textile features a combination of slightly different off-white shades woven into each other with a tactility reminiscent of a subtle bouclé-like fabric.

RE-BORN, DARK GREY



RE-BORN

DARK GREY



VENEZIA

OFF-WHITE

RE-BORN

Composition	60% recycled polyethylene, 40% polyester
Durability	100.000 Martindale
Lightfastness	4-5
Pilling	4

VENEZIA

Composition	62% polyester, 17% cotton, 14% viscose, 7% linen
Durability	40.000 Martindale
Lightfastness	5
Pilling	4



Rar Sofa in Venezia Off-White & Rar Cushions 50x50 in Venezia Off-White and Re-Born Dark Grey

CONTACT

NORMANN COPENHAGEN

Niels Hemmingsens Gade 12,
1153 Copenhagen, Denmark

normann@normann-copenhagen.com

+45 35 55 44 59

normann

C O P E N H A G E N