


UNFOLD PENDANT LAMP - EU VERSION

FORM US WITH LOVE ON THE DESIGN "The industry lamp is a classic, and sought after design that we are excited to provide a new perspective on. The soft silicone rubber gives Unfold a modern and warm personality. It also enables the lamp to be folded into a neat package by a slight push on the top. Just open and unfold your new lamp."




CEILING CAP



Ø 9 cm / 3.5"





DESIGNED BY / YEAR OF DESIGN

Form Us With Love / 2010

ABOUT THE DESIGNER

Form Us With Love is a multidisciplinary design and interior architecture studio from Stockholm. Their work has been awarded with several prestigious awards such as the Red Dot and the Young Swedish design award. Further accrediting the trio are successful exhibitions at venues like MoMA and the Swedish National Gallery.

CATEGORY

Pendant lamp

ENVIRONMENT

Indoor

DESCRIPTION

Unfold is an interpretation of the classic industry design and comes in a refined material that gives the lamp a modern and warm appearance.

PRODUCTION PROCESS

The shade is pressed in vulcanised rubber under high temperature. Diffuser and socket holder cut by laser. Extruded cord.

MATERIAL

Shade - silicone rubber, PVC cord. Diffuser clear frosted opal acrylic material.

CORD LENGTH

350 cm / I37.75"

BULB INCLUDED

Nο

CEILING CAP INCLUDED

Yes - White

DIMABLE FUNCTION

Yes

CLEANING AND CARE

Clean with soft dry/wet cloth. Always switch off the electricity supply before cleaning.



UNFOLD PENDANT LAMP - EU VERSION


















LAMP RATING

 Voltage
 22O-24OV

 Frequency
 5OHz

 IP Rating
 IP2O

 Classification
 Class II

 Socket
 1 x E27

Max. 6OW Type G bulb Max. 2OW CFL bulbs Max. 18W LED bulb

BULB RECOMMENDATION

Lamp base E27

Dimensions Ø60 X 110 mm

Light source shapeA6OMax wattageSee ratingLight source typeLED

GENERAL STANDARDS & CERTIFICATES

EU/UK	AUSTRALIA/NEW ZEALAND	CHINA	EXTRA	
CE-LVD	UL	RCM	CCC	Glow wire test
EN 60598-1:2008+AII:2009	AS/NZS 60238:2007	GB7000. 201-2008	IEC 60695-2-10:2000	
EN 60598-2-1:1989	GB7000. I-2007			
EN 62493:2010				
			<u>Taiwan</u>	
ECO Design Directive - 245/2009/EC				
ROHS Directive - 2011/65/EU				
WEEE Directive - 2012/19/EU				
REACH Directive - EC/I9O7/2OO6				
			BSMI	
			CNSI4II5	
<u>France</u>			IEC6O598/2/4	
COFRAC			CNSI4335	
EN 60598-1:2008+AII:2009				
EN 60598-2-1:1989				

MUUTO